



3M Cartridge 6000 Series

*User Instructions for 3M™ Cartridge 6001, 6002, 6003,
6004, 6005, 6006, and 6009*

Important: Keep these *User Instructions* for reference.



WARNING

These cartridges help protect against certain airborne contaminants. **Misuse may result in sickness or death.** For proper use, see supervisor, or *User Instructions*, or call 3M in U.S.A., 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414.



Use cartridge before expiration date.

IMPORTANT

Before use, the wearer must read and understand these *User Instructions*, and 3M™ 6000 Series Facepieces and 3M™ 7000 Series Facepieces with bayonet style cartridge/filter attachments *User Instructions* enclosed with these products. These cartridges are NIOSH approved only for use with 3M 6000 Series Facepieces and 3M 7000 Series Facepieces with bayonet style cartridge/filter attachments. Keep these *User Instructions* for reference.

Use For

Respiratory protection from certain airborne contaminants according to NIOSH approvals, OSHA limitations, in Canada CSA standard Z94.4 requirements, other applicable regulations and 3M instructions. For additional information on 3M use recommendations please consult the 3M Respirator Selection Guide found on the 3M OH&ESD web site at www.3M.com/occsafety or call 1-800-243-4630 in U.S.A. In Canada call 1-800-67-4414.

Do Not Use For

Concentrations of contaminants which are immediately dangerous to life and health, are unknown or when concentration exceeds 10 times the permissible exposure limit (PEL) with half facepiece respirators and full facepiece respirators when qualitatively fit tested, or 50 times the PEL with full facepiece respirators when quantitatively fit tested or according to specific OSHA standards or applicable government regulations, whichever is lower..

Use Instructions

1. Failure to follow all instructions and limitations on the use of this cartridge and/or failure to wear the respirator during all times of exposure can reduce respirator effectiveness and **may result in sickness or death.**
2. Before occupational use of these cartridges, a written respiratory protection program must be implemented meeting all the requirements of OSHA 29 CFR 1910.134 such as training and fit testing, medical evaluation, and applicable OSHA substance specific standards. In Canada, CSA standard Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate.
3. The airborne contaminants which can be dangerous to your health include those so small that you cannot see them.
4. Leave the contaminated area immediately and contact supervisor if you smell or taste contaminants or if dizziness, irritation, or other distress occurs.
5. Store the cartridges and respirator away from contaminated areas when not in use.
6. Dispose of used product in accordance with applicable regulations.

Use Limitations

1. These cartridges do not supply oxygen. Do not use in atmospheres containing less than 19.5% oxygen.
2. Do not alter, abuse or misuse these cartridges and/or respirator.
3. Do not use with beards or other facial hair or other conditions that prevent a good seal between the face and the faceseal of the respirator.

Time Use Limitations

1. Replace cartridge in accordance with an established change schedule or earlier if smell, taste or irritation from contaminants is detected.

Special Instructions for 3M™ Cartridge 6009, Mercury Vapor/End of Service Life Indicator

3M™ Mercury Vapor Cartridges (6009 and 60929) are equipped with passive 3M™ End of Service Life Indicators (ESLI). The color change indicator must be readily visible when wearing the respirator without manipulation. If you cannot readily see the ESLI, do not use. The mercury vapor cartridges must be discarded when the ESLI changes to the discard color found on the mercury vapor cartridge label; or within 30 days of opening packaging; or when ESLI becomes dirty or damaged; or when odors of vapors or gases become noticeable, whichever occurs first. Mercury vapor has no odor.

NIOSH approval label will be placed on User Instructions.

FOR MORE INFORMATION

In United States, contact:

Website: www.3M.com/OccSafety

Technical Assistance: 1-800-243-4630

For other 3M products:

1-800-3M-HELPS or 1-651-737-6501

3M Occupational Health and Environmental Safety Division

3M Center, Building 0235-02-W-70

St. Paul, MN 55144-1000

©3M 2007

98-0060-0065-1/2